

CSG 10700 Series Pedestrian Gate



PRODUCT OVERVIEW

Typically installed adjacent to external or underground car parks, high secure sites such as datacentres, sports grounds, stadiums and government buildings or wherever there is a requirement for controlling safe and secure pedestrian access control.

The CSG 10700 series pedestrian gates are designed to be a reliable, robust and secure access control solution to your premises.

It's recommended that a pedestrian gate is positioned close to or adjacent to an automated vehicle gate, to provide safe access for pedestrians entering and exiting building premises. Additionally, by controlling the flow of people safely and securely through a dedicated pedestrian gate, this will discourage the temptation of the vehicle gate being used by pedestrians,

The CSG 10700 is available in either a single or double gate, with manual, swing and automatic access as options. A pedestrian gate will add an extra layer of security to the premises.

CONTACT US

Call us on +44 (0) 1293 553888

Email us sales@covasecuritygates.com

DIMENSIONS

Single Width: Minimum - 1100mm

Double Width: 1500mm - 2100mm

Minimum Height: 2000mm

Contact CSG for a bespoke solution if required.

FINISH

- Shot blast to SA 2.5

- Primed: Either galvanised or zinc primer @60µm.

- Topcoat: Polyester top coat @60µm to a specific RAL No.

CONSTRUCTION

- Fully DDA compliant (Disability Discrimination Act)
- Supplied with heavy duty anti-lift stainless steel hinges
- Manual or automated pedestrian gate available

Options to fully automate with a proprietary electro-hydraulic actuator, allowing complete hands free operation.

Options for additional toppings are available, for an added layer of security.

Our bespoke design and manufacturing capabilities means we can offer pedestrian gates to suit the site environment and location.

OPERATION

Manual:

Gate operator unlocks magnetic lock via access control, enabling the pedestrian to push or pull the gate open and pass through. Overhead door closer, closes the gate automatically.

Automated:

Gate operator gives the gate an open command via access control, gate opens, the pedestrian walks through. Gate closes automatically after a preset time.

Duty Cycle: 70 cycles/hour

ELECTRICAL SUPPLY

Manual:

12VDC/24VDC rated at 2.5 amps to operate the magnetic lock.

Automated (Mains Supply):

230V 50Hz single phase rated @ 10 Amp



If required, please contact CSG for a bespoke solution.

Cova Security Gates Ltd

Unit C1, Sussex Manor Business Park
Crawley, West Sussex, RH10 9NH, UK
covasecuritygates.com

✉ sales@covasecuritygates.com

☎ +44(0)1293 553 888

📱 @CovaSecurityUK

🏢 Cova Security Gates Ltd

